

RapID

PRODUCT REFERENCES

RapID Yeast Plus:

Dillsaver, L., L.M. Potter and Bartholomew. 1996. Clinical Comparison of the Innovative Diagnostic System's (IDS) RapID Yeast Plus System and the API 20C. Abstract C-247. Abstr. Gen. Meet., American Society for Microbiology, Washington, D.C.

Fox, J.B. and J.K. Marler. 1996. Effect of 35-37°C incubation temperature and culture age on the IDS RapID Yeast Plus System. Abstract C249. Abstr. Gen. Meet., American Society for Microbiology, Washington, D.C.

Kitch, T., M.R. Jacobs, M.R. McGinnis and P. C. Applenaum. 1996. Ability of RapID Yeast Plus System to identify 304 clinically significant yeasts within 5 h. J. Clin. Microbiol. 34: 1069-1071. <http://jcm.asm.org/cgi/reprint/34/5/1069>

Marler, J.K. and L.A. Eriquez. 1996. Effect of various media used for cultivation of test organisms on IDS RapID Yeast Plus System and results. Abstract C250. Abstr. Gen. Meet., American Society for Microbiology, Washington, D.C.

Marler, J.K. and L.A. Eriquez. 1995. Comparison of the IDS RapID Yeast Plus System and the API 20C for the identification of medically important yeast. Abstract C418. Abstr. Gen. Meet., American Society for Microbiology, Washington, D.C..

Smith, Michael B., Daisy Dunklee, Hangna Vu, and Gail L. Woods. Comparative Performance of the RapID Yeast Plus System and the API 20C AUX Clinical Yeast System J. Clin. Microbiol. 1999 37: 2697-2698. <http://jcm.asm.org/cgi/reprint/37/8/2697>

Wadlin, Jill K., Gayle Hanko, Rebecca Stewart, John Pape, and Irving Nachamkin. Comparison of Three Commercial Systems for Identification of Yeasts Commonly Isolated in the Clinical Microbiology Laboratory. J. Clin. Microbiol. 1999 37: 1967-1970. <http://jcm.asm.org/cgi/reprint/37/6/1967>

Espinel-Ingroff, A., L. Stockman, G. Roberts, D. Pincus, J. Pollack, and J. Marler. Comparison of RapID Yeast Plus System with API 20C System for Identification of Common, New, and Emerging Yeast Pathogens. J. Clin. Microbiol. 1998 36: 883-886. <http://jcm.asm.org/cgi/reprint/36/4/883>

Sanguinetti, Maurizio, Rosaria Porta, Michela Sali, Marilena La Sorda, Giovanni Pecorini, Giovanni Fadda, and Brunella Posteraro. Evaluation of VITEK 2 and RapID Yeast Plus Systems for Yeast Species Identification: Experience at a Large Clinical Microbiology Laboratory. J. Clin. Microbiol. 2007 45: 1343-1346. <http://jcm.asm.org/cgi/reprint/45/4/1343>

Heelan, Judith S., Edgar Sotomayor, Kimberly Coon, and Julia B. D'Arezzo. Comparison of the Rapid Yeast Plus Panel with the API20C Yeast System for Identification of Clinically Significant Isolates of *Candida* Species. J. Clin. Microbiol. 1998 36: 1443-1445. <http://jcm.asm.org/cgi/reprint/36/5/1443>

RapID ONE:

Fox, J.B., J.K. Marler and L.A. Eriquez. 1995. Rapid, presumptive recognition of *E. coli* 0157:H7 using the RapID ONE System Abstract C172. Abstr. Gen. Meet., American Society for Microbiology, Washington, D.C.

Jernigan D.P. and J.B. Fox. 1996. Overnight refrigeration of IDS RapID ONE panels before reagent addition for next day reading. Abstract C391. Abstr. Gen. Meet., American Society for Microbiology, Washington, D.C.

Kitch T.T., M.R. Jacobs and P.C. Applebaum. 1994. Evaluation of RapID ONE System for identification of 379 strains in the family *Enterobacteriaceae* and oxidase-negative, Gram-negative nonfermenters. J. Clin. Microbiol. 32:931-934. <http://jcm.asm.org/cgi/reprint/32/4/931>

O'Hara, C. 2005. Manual and Automated Instrumentation for Identification of *Enterobacteriaceae* and Other Aerobic Gram-Negative Bacilli. Clin. Microbiol. Rev. 18:147-162. <http://cmr.asm.org/cgi/reprint/18/1/147.pdf>

Schreckenberger, P., M. Montero and N. Heldt. 1993. Comparison of the RapID E Plus panel for identification of *Enterobacteriaceae*. Abstract C-309. p. 500. Abstr. 93rd Annu. Meet. American Society for Microbiology, Washington, D.C.

RapID ANA II:

Celig, D.M. and P.C. Schreckenberger. 1991. Clinical evaluation of the RapID ANA II panels for identification of anaerobic bacteria. J Clin. Microbiol. 29:457-462. <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC2691082/pdf/1778-08.pdf>

Marler, L.M., J.A. Siders, L.C. Wolters, Y. Pettigrew, B.L. Skitt and S.D. Allen. 1991. Evaluation of the new RrapID ANA II System for the identification for the clinical anaerobe isolates. J. Clin. Microbiol. 29:874-878. <http://jcm.asm.org/cgi/reprint/47/6/1923>

Santala, Anne-Marie, Nanna Sarkonen, Val Hall, Petteri Carlson, Hannele Jousimies-Somer, and Eija Könönen. Evaluation of Four Commercial Test Systems for Identification of *Actinomyces* and Some Closely Related Species J. Clin. Microbiol. 2004 42: 418-420. <http://jcm.asm.org/cgi/reprint/42/1/418>

RapID NF Plus

Kiska, D.L. A. Kerr, M.C. Jones, J.A. Caracciolo, B. Eskridge, M. Jordan, S. Miller, D. Hughes, N. King, and P.H. Gilligan. 1996. Accuracy of four commercial identification systems for identification of *Burkholderia cepacia* and other Gram-negative nonfermenting bacilli recovered from patients with cystic fibrosis. *J. Clin. Microbiol.* 34:886-891.

<http://www.ncbi.nlm.nih.gov/pmc/articles/PMC228911/pdf/340886.pdf>

Kitch, T., M.R. Jacobs and P.C. Applebaum. 1992. Evaluation of the 4-hour NF PLUS method for identification of 345 Gram-negative non-fermentive rods. *J. Clin. Microbiol.* 30:1267-1270.

<http://www.ncbi.nlm.nih.gov/pmc/articles/PMC265262/pdf/jcm00029-0247.pdf>

Vossler, J. and D. Roberts. 1993. Comparison of the API 20E, RapID NFT, RapID NF PLUS, and the Microscan Neg ID and RapID Neg panels for the identification of non-fermentive Gram-negative bacilli. *Abstr. Ann. Meet., ICAAC, New Orleans, LA.*

Blecker Shelly, Deborah, Theodore Spilker, Edward J. Gracely, Tom Coenye, Peter Vandamme, and John J. LiPuma Utility of Commercial Systems for Identification of *Burkholderia cepacia* Complex from Cystic Fibrosis Sputum Culture. *J. Clin. Microbiol.* 2000 38: 3112-3115.

<http://jcm.asm.org/cgi/reprint/38/8/3112>

Glass, Mindy B. and Tanja Popovic. Preliminary Evaluation of the API 20NE and RapID NF Plus Systems for Rapid Identification of *Burkholderia pseudomallei* and *B. mallei*. *J. Clin. Microbiol.* 2005 43: 479-483.

<http://jcm.asm.org/cgi/reprint/43/1/479>

O'Hara, C. 2005. Manual and Automated Instrumentation for Identification of *Enterobacteriaceae* and Other Aerobic Gram-Negative Bacilli. *Clin. Microbiol. Rev.* 18:147-162.

<http://cmr.asm.org/cgi/reprint/18/1/147.pdf>

RapID NH:

Dolter, J., L. Bryant and J.M. Janda. 1990. Evaluation of five rapid systems for the identification of *Neisseria gonorrhoeae*. *Diag. Microbiol. Infect. Dis.* 13:265-276.

Munson, Erik L. and Gary V. Doern. Comparison of Three Commercial Test Systems for Biotyping *Haemophilus influenzae* and *Haemophilus parainfluenzae*. *J. Clin. Microbiol.* 2007 45: 4051-4053.

<http://jcm.asm.org/cgi/reprint/45/12/4051>

Blackmore, T., G. Herrera, S. Shi, P. Bridgewater, L. Wheeler, and J. Byrne. Characterization of Prolyl Iminopeptidase-Deficient *Neisseria gonorrhoeae*. *J. Clin. Microbiol.* 2005 43: 4189-4190.

<http://jcm.asm.org/cgi/reprint/43/8/4189>

RapID STR:

Applebaum, P.C., M.R. Jacobs, W.M. Palko, E.E. Fraunhoffer and A. Dufett. 1986. Accuracy and reproducibility of the IDS RapID STR System for species identification of streptococci.

J. Clin. Microbiol. 23:843-846.

<http://jcm.asm.org/cgi/reprint/23/5/843?ijkey=95d70ba5b2f4ee5576e7e49e0d139608be28d5cd>

Fox, J.B., J.K. Marler and L.A. Eriquez. 1995. Identification and biochemical patterns of Vancomycin-resistant and Vancomycin-susceptible *Enterococci* using the IDS RapID STR System. Abstract C272. Abstr. Gen. Meet., American Society for Microbiology, Washington, D.C.

You, M.A. and R.R. Facklam. 1983. New test system for identification of *Aerococcus*, *Enterococcus* and *Streptococcus* species. J. Clin. Microbiol. 24:607-611.

<http://jcm.asm.org/cgi/reprint/24/4/607?ijkey=06c05cb6accac1cb940d979c58498f836516450a>

LaClaire, Leslye L., and Richard R. Facklam. Comparison of Three Commercial Rapid Identification Systems for the Unusual Gram-Positive Cocci *Dolosigranulum pigrum*, *Ignavigranum ruoffiae*, and *Facklamia* Species. J. Clin. Microbiol. 2000 38: 2037-2042. <http://jcm.asm.org/cgi/reprint/38/6/2037>

RapID SS/u:

DeGirolami, P.C., J.S. Poliferno, L.S. Mils and K.A. Eichelberger. 1998. Evaluation of the IDS RapID SS/u System for rapid identification of urinary microorganisms. Am. J. Clin. Path. 89:791-793.

Halstead, D.C., J.R. Hoffert and G.C. Colasante. 1987. Premarket evaluation of IDS RapID SS/u System for identification of urine isolates. J. Clin. Microbiol. 25:42-44.

<http://jcm.asm.org/cgi/reprint/25/1/42>

Morgenstern, F.A. and S.B. Potter. 1988. Evaluation of a new two-hour system for identification of urine isolates. Lab. Med. 19:368-370.

O'Hara, C. 2005. Manual and Automated Instrumentation for Identification of *Enterobacteriaceae* and Other Aerobic Gram-Negative Bacilli. Clin. Microbiol. Rev. 18:147-162.

<http://cmr.asm.org/cgi/reprint/18/1/147.pdf>

RapID CB Plus (and ANA II)

Santala, Anne-Marie, Nanna Sarkonen, Val Hall, Petteri Carlson, Hannele Jousimies-Somer, and Eija Könönen. 2004. Evaluation of Four Commercial Test Systems for Identification of *Actinomyces* and Some Closely Related Species. J. Clin. Microbiol. 42: 418-420. <http://jcm.asm.org/cgi/reprint/42/1/418>